

Table of Contents

Section 1

Introduction	Pg. 1-1
1.1 Background	Pg. 1-1
1.2 Scope of Services	Pg. 1-1
1.3 Study Area	Pg. 1-2
1.4 Prior Trunk Drain Improvement	Pg. 1-3
1.5 Acronyms and Abbreviations	Pg. 1-3
1.6 Acknowledgement	Pg. 1-5

Section 2

Storm Drainage System	Pg. 2-1
2.1 Overview of Major Offsite Watersheds	Pg. 2-1
2.2 Basin and Sub-Basin Delineation	Pg. 2-2
2.3 Existing Storm Drainage Basin and Storm Drainage System	Pg. 2-2
2.3.1 Upper San Vicente Basin	Pg. 2-2
2.3.2 Central Basin	Pg. 2-3
2.3.3 Lower San Vicente Basin	Pg. 2-5
2.3.4 Caltrans Basin	Pg. 2-6
2.3.5 Los Coches Basin	Pg. 2-6
2.4 Offsite Basin	Pg. 2-6
2.4.1 San Vincent-Mirrasou Basin	Pg. 2-6
2.4.2 Moranda Basin	Pg. 2-7
2.4.3 Bryant Canyon Basin	Pg. 2-7

Section 3

Planning Criteria	Pg. 3-1
3.1 Land Uses	Pg. 3-1
3.2 Hydrologic Criteria	Pg. 3-5
3.2.1 Method for Flow Generation	Pg. 3-5
3.2.2 Design Storm (level of protection)	Pg. 3-5
3.2.3 Design Storm Rainfall	Pg. 3-7
3.2.4 Synthetic Rainfall Distributions	Pg. 3-7
3.2.5 Percent Impervious	Pg. 3-40
3.3 Hydraulic Criteria	Pg. 3-41
3.3.1 Pipe Hydraulic Capacity Criteria	Pg. 3-41
3.3.2 Friction Factors	Pg. 3-42
3.3.3 Routing Method	Pg. 3-42
3.3.4 Beginning Water Surface Elevations	Pg. 3-43
3.3.5 Allowable Slopes and Velocities	Pg. 3-44
3.3.6 Minimum Pipe Sizes	Pg. 3-44
3.4 Storm Water Detention	Pg. 3-44
3.5 Storm Water Quality	Pg. 3-46
3.6 Floodway and Floodplain Requirements	Pg. 3-46
3.7 Other Federal and State Requirements	Pg. 3-46

Section 4	
Storm Drainage Systems Analysis	Pg. 4-1
4.1 Storm Water Models	Pg. 4-1
4.2 Analysis Methodology	Pg. 4-3
4.3 Analysis Findings	Pg. 4-9
4.4 Storm Water Quality Features	Pg. 4-15
Section 5	
Recommended Capital Improvement Program	Pg. 5-1
5.1 Storm Drainage System Recommendations:	Pg. 5-1
5.2 Assumptions	Pg. 5-1
5.3 Capital Improvements Projects	Pg. 5-2
5.4 Future Development	Pg. 5-17
5.5 Project Priorities	Pg. 5-17
5.6 Implementation	Pg. 5-18
Appendices	
Appendix A – NRCS-TR55 Major Watershed Storm Water Calculations and Map of Predevelopment TR 55 Model	
Appendix B – Miravale III HYDRA Storm Water Calculation and Map of HYDRA Model	
Appendix C – Upper and Lower San Vicente Basin HYDRA Storm Water Calculation and Map of HYDRA Model	
Appendix D – Soledad Storm Water Master Plan Hydrology and Hydraulic Model Review	
Appendix E – Soledad Storm Water Master Plan Alternative Funding Sources	
Appendix F – Technical Memorandum	

Tables, Graphs and Figures

Section 1

Introduction

Figure 1-1: Location Map	Pg. 1-5
Figure 1-2: Vicinity Map	Pg. 1-6
Figure 1-3: Study Area Map	Pg. 1-7

Section 2

Storm Drainage System

Figure 2-1: Watershed Overview Map (Composite of Soledad 7.5 minute USGS Topographic Map and Soledad GIS Map)	Pg. 2-9
Figure 2-2: Major Watershed Map	Pg. 2-10
Figure 2-3: City Drainage Basin Map	Pg. 2-11
Figure 2-4: Upper San Vicente Basin	Pg. 2-12
Figure 2-5: Central Basin Map	Pg. 2-13
Figure 2-6: Lower San Vicente Basin Map	Pg. 2-14
Figure 2-7: Caltrans Basin Map	Pg. 2-15
Figure 2-8: Los Coches Basin Map	Pg. 2-16
Figure 2-9: San Vicente-Mirrasou Basin (pre-development) Map	Pg. 2-17
Figure 2-10: Moranda Basin (pre-development) Map	Pg. 2-18
Figure 2-11: Bryant Canyon Basin Map	Pg. 2-19

Section 3

Planning Criteria

Figure 3-1: Planning Area Map	Pg. 3-2
Figure 3-2: City 2005 Zoning Map	Pg. 3-3
Figure 3-3: Miravale III Land Use Map	Pg. 3-4
Figure 3-4: General Plan Land Use Map	Pg. 3-38
Figure 3-5: San Vicente-Mirrasou Basin Soil Type Map	Pg. 3-48
Figure 3-6: Miravale III Soil Type Map	Pg. 3-49
Figure 3-7: Moranda Basin Soil Type Map	Pg. 3-50
Table 3-1: Rainfall Amounts for Various Storm Frequencies in Soledad Area	Pg. 3-9
Table 3-2: 6-Hour Design Storm for Storm Drains	Pg. 3-10
Table 3-3: 24-Hour Design Storm for Detention Basins	Pg. 3-10
Table 3-4: Infiltration Rates	Pg. 3-38
Table 3-5: Percent Impervious Values by Land Use Category	Pg. 3-40
Table 3-6: Friction Factors for Pipes and Channels	Pg. 3-42
Table 3-7: Beginning Water Surface Elevations from FEMA Study	Pg. 3-43
Table 3-8: Beginning Water Surface Elevations for Master Plan Study	Pg. 3-44

Section 4

Storm Drainage Systems Analysis

Figure 4-1: NRCS TR-55 Major Watershed Storm Water Model Map	Pg. 4-6
Figure 4-2: Miravale III HYDRA Storm Water Watershed Model Map	Pg. 4-7
Figure 4-3: Miravale III HYDRA Storm Water Piping Model Map	Pg. 4-8
Figure 4-4: Soledad Existing Storm Drainage System Map	Pg. 4-17
Figure 4-5: Upper and Lower San Vicente HYDRA Storm Water Watershed Model Map	Pg. 4-18
Figure 4-6: Upper and Lower San Vicente HYDRA Piping Model Map	Pg. 4-19
Figure 4-7: Moranda Basin TR-20/TR-55 Post Development Storm Water Model Map	Pg. 4-20
Table 4-1:	Pg. 4-10
Table 4-2:	Pg. 4-11
Table 4-3:	Pg. 4-12

Section 5

Recommended Capital Improvement Program

Figure 5-1: Proposed Lower San Vicente Basin Storm Drain Improvements (Outfall Pipeline)	Pg. 5-24
Figure 5-2: Proposed Upper San Vicente Basin Storm Drain Improvements (Gabilan Dr. – West St. to Toledo St)	Pg. 5-25
Figure 5-3: Proposed Upper San Vicente Basin Amended Storm Drain Improvements (Gabilan Dr – San Vicente Rd to Toledo St.)	Pg. 5-26
Figure 5-4: Proposed Onsite and Offsite Moranda Basin Storm Drain Improvements	Pg. 5-27
Figure 5-5: Proposed San Vicente-Mirrasou Storm Drain Improvements	Pg. 5-28
Figure 5-6: Proposed Caltrans Basin Storm Drain Improvements	Pg. 5-29
Figure 5-7: Proposed Los Coches Basin Storm Drain Improvements	Pg. 5-30
Table 5-1: Lower San Vicente	Pg. 5-1
Table 5-2: Upper San Vicente	Pg. 5-8
Table 5-3: Miravale III (San Vicente-Mirrasou)	Pg. 5-10
Table 5-4: Northwest Expansion (Moranda Drainage Basin)	Pg. 5-11
Table 5-5: Caltrans	Pg. 5-13
Table 5-6: Los Coches Drainage Improvements	Pg. 5-14
Table 5-7: Bryant Canyon	Pg. 5-15

Table 5-8:

Priority 1 Improvements	Pg. 5-19
Priority 2 Improvements	Pg. 5-20
Priority 3 Improvements	Pg. 5-21
Priority 4 Improvements	Pg. 5-22
Priority 5 Improvements	Pg. 5-23

Appendix D

Table 1 Summary of Hydraulic Models

Appendix E

Table 1 Summary of Alternative Funding
Mechanisms for Storm Water Management Activities